

Gage, Fred

From: Maguire, Andrew
Sent: Wednesday, January 20, 2016 1:47 PM
To: Gage, Fred
Subject: FW: Antea analytical data for
Attachments: Updated Data Tables for Wood River Route 113 Release - Final Data Received Through March 21, 2014

Andy Maguire
U.S. EPA - Region5
312-353-8782

From: Lisa Graczyk [mailto:LGraczyk@css-dynamac.com]
Sent: Monday, March 24, 2014 10:46 AM
To: Maguire, Andrew <maguire.andrew@epa.gov>
Subject: FW: Antea analytical data for

Lisa Graczyk
Dynamac Corporation
20 North Wacker Drive, Suite 2035
Chicago, IL 60606
(w) 312-424-3339
(c) 312-305-6745
(fax) 312-424-3330
lgraczyk@css-dynamac.com

From: Zeth, Katherine S. [mailto:kzeth@buckeye.com]
Sent: Monday, March 24, 2014 10:43 AM
To: Brennan.Johnson@WestonSolutions.com; Lisa Graczyk
Cc: Snyder, Krista L.; Brudereck, Jeff
Subject: RE: Antea analytical data for

Brennan (and Lisa),

Per your request to Krista Snyder, the attached email sent to Craig on Friday contains all the Final data received through 3/21. We expect more data today, but this should get you started.

Thanks,
Katie

=====
Katie Zeth
Manager, Remediation
Buckeye Partners, L.P.

From: Snyder, Krista L.
Sent: Monday, March 24, 2014 11:32 AM
To: Zeth, Katherine S.; Brudereck, Jeff
Subject: Fwd: Antea analytical data for

Krista Snyder
Project Manager, Remediation
Buckeye Partners, L.P.

Begin forwarded message:

From: "Johnson (Pierce), Brennan" <Brennan.Johnson@WestonSolutions.com>
Date: March 24, 2014 at 11:04:22 AM EDT
To: "Snyder, Krista L." <KSnyder@buckeye.com>
Cc: "Graczyk, Lisa" <LGraczyk@dynamac.com>
Subject: Antea analytical data for

Hi Krista,

The EPA would like a copy of Antea's soil and residential water sampling analytical data, so that we may compare our split samples. When you get a chance, would you mind sending that to myself and our PM, Lisa Graczyk (cc'd)?

Thanks so much in advance,

Brennan Johnson
Associate Project Scientist
Weston Solutions, Inc.
20 North Wacker Drive, Suite 2035
Chicago, IL 60606-2901
Office: 312-424-3335
Fax: 312-424-3330

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

This email has been scanned by the Symantec Email Security.cloud service.
For more information please visit <http://www.symanteccloud.com>
